

Move

Text Search

Close

27 OCT 94 17:41:10
L31U.S. Patent & Trademark Office
0 L1 AND PERFLUOROOXETANE

P0005

=> d his

(FILE 'USPAT' ENTERED AT 17:25:01 ON 27 OCT 94)

SET PAGELength 62

SET LINELENGTH 78

L1 1908 S FIRE (W) (EXTINGUISHANT# OR EXTINGUISHING OR SUPPRESS?)
L2 0 S TRICHLOROIODOMETHANE
L3 56 S TRIFLUOROIODOMETHANE
L4 2 S PENTAFLUOROiodoethane
L5 1 S L3 AND L4
L6 57 S L3 OR L4
L7 1456 S PERFLUOROCARBON# OR PERFLUOROALKANE#
L8 204 S PERFLUOROBUTANE OR DECAFLUOROBUTANE
L9 156 S PERFLUOROHEXANE
L10 314 S OCTAFLUOROPROPANE OR PERFLUOROPROPANE
L11 2004 S TRIFLUOROMETHANE
L12 401 S DIFLUOROMETHANE
L13 173 S PENTAFLUROETHANE
L14 2373 S TRIFLUOROETHANE
L15 1032 S DIFLUOROETHANE
L16 83 S FLUROETHER#
L17 59 S DIFLUOROMETHYL ETHER
L18 0 S PERFLUORODIMETHOXYMETHANE
L19 5 S DIFLUOROMETHYL TRIFLUOROMETHYL ETHER
L20 0 S TRIFLUOROMETHYL PENTAFLUROETHYL ETHER
L21 0 S METHYL TRIFLUOROMETHYL ETHER
L22 143 S L16 OR L17 OR L19
L23 0 S L1 AND L6
L24 24 S L1 AND L7
L25 3 S L1 AND L7 AND L8
L26 0 S L1 AND L7 AND L9
L27 7 S L1 AND L7 AND L10
L28 15 S L1 AND L14 AND L15
L29 8 S L1 AND L11 AND L12
L30 0 S L1 AND L22
L31 0 S L1 AND PERFLUOROOXETANE

=> s 125 and 128

L32 0 L25 AND L28

=> s 128 and 129

L33 5 L28 AND L29

=> d 133 cit 1-5

1. 5,236,611, Aug. 17, 1993, Mixtures of perfluoropropane and trifluoroethane; Mark B. Shiflett, 252/67; 62/114; 252/2, 8, 162, 172, 305, 364, 571, DIG.9; 264/53, DIG.5; 521/98, 131 [IMAGE AVAILABLE]

2. 5,040,609, Aug. 20, 1991, Fire extinguishing composition and process; Alfred P. Dougherty, Jr., et al., 169/45, 46; 252/605 [IMAGE AVAILABLE]

3. 4,217,202, Aug. 12, 1980, Process for selective recovery of relatively metals-free bitumen from tar sand using a halogenated aliphatic solvent in combination with a second solvent; John A. Paraskos, et al., 208/390, 435 [IMAGE AVAILABLE]

4. 4,148,716, Apr. 10, 1979, Process for separating tar and solids from coal
17:42:30 COPY AND CLEAR PAGE, PLEASE

INPUT:

Move

Text Search

Close

27 OCT 94 17:42:38

U.S. Patent & Trademark Office

P0006

liquefaction products using a halogenated aliphatic solvent; John A. Paraskos, et al., 208/177, 298, 424 [IMAGE AVAILABLE]

5. 4,133,740, Jan. 9, 1979, Process for increasing the fuel yield of coal liquefaction products by extraction of asphaltenes, resins and aromatic compounds from said coal liquefaction products; John A. Paraskos, et al., 208/45, 314, 336, 435 [IMAGE AVAILABLE]

=> s 125 and 127

L34 1 L25 AND L27

=> d 134 cit

1. 5,117,917, Jun. 2, 1992, Fire extinguishing methods utilizing perfluorocarbons; Mark L. Robin, et al., 169/46, 44; 252/2 [IMAGE AVAILABLE]

=> d 128 cit 1-15

1. 5,314,926, May 24, 1994, Hydrofluorocarbon compositions as blowing agents for cellular plastics; Mark L. Robin, et al., 521/98; 264/53, DIG.5; 521/131, 910 [IMAGE AVAILABLE]

2. 5,278,196, Jan. 11, 1994, Hydrofluorocarbon compositions as blowing agents for cellular plastics; Mark L. Robin, et al., 521/98, 131, 145, 146 [IMAGE AVAILABLE]

3. 5,236,611, Aug. 17, 1993, Mixtures of perfluoropropane and trifluoroethane; Mark B. Shiflett, 252/67; 62/114; 252/2, 8, 162, 172, 305, 364, 571, DIG.9; 264/53, DIG.5; 521/98, 131 [IMAGE AVAILABLE]

4. 5,234,613, Aug. 10, 1993, Substantially constant boiling compositions of difluoromethane and propane; Mark B. Shiflett, 252/67; 62/114; 252/2, 8, 162, 172, 305, 364, 571, DIG.9; 264/53, DIG.5; 521/98, 131 [IMAGE AVAILABLE]

5. 5,232,618, Aug. 3, 1993, Substantially constant boiling compositions of difluoromethane and trifluoroethane or perfluoroethane; Mark B. Shiflett, 252/67; 62/114; 252/2, 8, 162, 172, 305, 364, 571, DIG.9; 264/53, DIG.5; 521/98, 131 [IMAGE AVAILABLE]

6. 5,141,654, Aug. 25, 1992, Fire extinguishing composition and process; Richard E. Fernandez, 252/8, 2, 3 [IMAGE AVAILABLE]

7. 5,102,557, Apr. 7, 1992, Fire extinguishing agents for streaming applications; Jonathan S. Nimitz, et al., 252/8; 169/46, 47; 252/8.05, 67, 68, 601, DIG.9 [IMAGE AVAILABLE]

8. 5,084,190, Jan. 28, 1992, Fire extinguishing composition and process; Richard E. Fernandez, 252/8, 2, 3 [IMAGE AVAILABLE]

9. 5,040,609, Aug. 20, 1991, Fire extinguishing composition and process; Alfred P. Dougherty, Jr., et al., 169/45, 46; 252/605 [IMAGE AVAILABLE]

10. 4,954,271, Sep. 4, 1990, Non-toxic fire extinguishant; Raymond W. Green, 252/8; 169/46, 47; 252/2 [IMAGE AVAILABLE]

11. 4,459,213, Jul. 10, 1984, Fire-extinguisher composition; Yasuzo Uchida, et al., 252/8.05, 2 [IMAGE AVAILABLE]

12. 4,217,202, Aug. 12, 1980, Process for selective recovery of relatively metals-free bitumen from tar sand using a halogenated aliphatic solvent in 17:45:22 COPY AND CLEAR PAGE, PLEASE

INPUT:

Move

Text Search

Close

27 OCT 94 17:45:33 U.S. Patent & Trademark Office P0007
combination with a second solvent; John A. Paraskos, et al., 208/390, 435
[IMAGE AVAILABLE]

13. 4,148,716, Apr. 10, 1979, Process for separating tar and solids from coal liquefaction products using a halogenated aliphatic solvent; John A. Paraskos, et al., 208/177, 298, 424 [IMAGE AVAILABLE]

14. 4,133,740, Jan. 9, 1979, Process for increasing the fuel yield of coal liquefaction products by extraction of asphaltenes, resins and aromatic compounds from said coal liquefaction products; John A. Paraskos, et al., 208/45, 314, 336, 435 [IMAGE AVAILABLE]

15. 3,658,685, Apr. 25, 1972, COMBINATION ELECTRODE; William V. Childs, et al., 204/284, 294 [IMAGE AVAILABLE]

=> d 129 cit 1-8

1. 5,236,611, Aug. 17, 1993, Mixtures of perfluoropropane and trifluoroethane; Mark B. Shiflett, 252/67; 62/114; 252/2, 8, 162, 172, 305, 364, 571, DIG.9; 264/53, DIG.5; 521/98, 131 [IMAGE AVAILABLE]

2. 5,115,868, May 26, 1992, Fire extinguishing composition and process; Alfred P. Dougherty, Jr., et al., 169/45, 46; 252/605 [IMAGE AVAILABLE]

3. 5,040,609, Aug. 20, 1991, Fire extinguishing composition and process; Alfred P. Dougherty, Jr., et al., 169/45, 46; 252/605 [IMAGE AVAILABLE]

4. 4,359,371, Nov. 16, 1982, Process for preparing bromine- and fluorine-containing halogenated hydrocarbons; Horst Bohm, et al., 204/158.11; 570/134, 137 [IMAGE AVAILABLE]

5. 4,222,967, Sep. 16, 1980, Process for preparing bromine- and fluorine-containing halogenated hydrocarbons; Horst Boehm, et al., 570/170, 174 [IMAGE AVAILABLE]

6. 4,217,202, Aug. 12, 1980, Process for selective recovery of relatively metals-free bitumen from tar sand using a halogenated aliphatic solvent in combination with a second solvent; John A. Paraskos, et al., 208/390, 435 [IMAGE AVAILABLE]

7. 4,148,716, Apr. 10, 1979, Process for separating tar and solids from coal liquefaction products using a halogenated aliphatic solvent; John A. Paraskos, et al., 208/177, 298, 424 [IMAGE AVAILABLE]

8. 4,133,740, Jan. 9, 1979, Process for increasing the fuel yield of coal liquefaction products by extraction of asphaltenes, resins and aromatic compounds from said coal liquefaction products; John A. Paraskos, et al., 208/45, 314, 336, 435 [IMAGE AVAILABLE]

=> s difluoroether#
L35 0 DIFLUOROETHER#

=> s 116 and fire
59874 FIRE
L36 6 L16 AND FIRE

=> d 136 cit 1-6

1. 5,159,527, Oct. 27, 1992, Dielectric liquids; Richard M. Flynn, 361/317; 252/579 [IMAGE AVAILABLE]
17:48:22 COPY AND CLEAR PAGE, PLEASE

INPUT:

Move

Text Search

Close

27 OCT 94 17:48:30

U.S. Patent & Trademark Office

P0008

2. 5,124,366, Jun. 23, 1992, Polyisocyanurate foams made with polyester polyols and chlorodifluoromethane as a blowing agent; David G. Gluck, et al., 521/99; 427/155, 373; 428/77, 423.1; 521/128, 131 [IMAGE AVAILABLE]

3. 4,535,101, Aug. 13, 1985, Polyimide of 2,2-bis(4-(4-aminophenoxy)phenyl)-hexafluoropropane and process for the preparation of same; Raymond Lee, et al., 521/189, 184, 185; 528/185, 353 [IMAGE AVAILABLE]

4. RE 31,324, Jul. 26, 1983, Fluorine containing organosilicon compounds; David Apotheker, deceased, 556/445, 448, 450, 459, 460 [IMAGE AVAILABLE]

5. 4,308,393, Dec. 29, 1981, Fluorine containing organosilicon compounds; David Apotheker, 556/445, 448, 450, 459, 460 [IMAGE AVAILABLE]

6. 3,998,588, Dec. 21, 1976, Process for continuously transferring heat to a moving band; George R. Coraor, et al., 8/476, 116.1, 149.2, 615, DIG.16; 165/1 [IMAGE AVAILABLE]

=>

INPUT:

Model NDC Name:

Number	Document	Number	Document	Number	Document
(1)	5236611	(2)	5040609	(3)	5117917
(4)	5141654	(5)	4954271	(6)	5115868
(7)		(8)		(9)	
(10)		(11)		(12)	
(13)		(14)		(15)	
(16)		(17)		(18)	
(19)		(20)		(21)	
(22)		(23)		(24)	
(25)		(26)		(27)	
(28)		(29)		(30)	

Pick a file: U

- (T) Training file
- (U) U.S. Patent file

List patent sections to print: A

- | | |
|---------------------------------------|------------------------------------|
| (F) Front page | (C) Claims |
| (D) Drawings | (CC) Changes/Corrections |
| (S) Specification | (R) Reexamination certificates |
| (S1) First page of Specification | (A) All sections in standard order |
| (S2) First two pages of Specification | |

Please pick a print option: G

- | | |
|-------------------|--|
| (G) Group Printer | (Print at group printer in cluster: 220A) |
| (L) Local Printer | (Print at local printer) |

Execute? (Y / N):